

TEHNIČKI KATALOG SOBNIH VRATA

OSTAKLJIVANJE



Osijek, Zupanijska 36


SADRŽAJ

OSTAKLJIVANJE

OSTAKLJIVANJE



S1T - TRIGLAV




S8 - SATINATO ELLA



S1 - SATINATO




S4 - MASTER CARRE



S5 - RX17



S2 - UADI BIJELI



S1L - LASTOVKA



S3 - PROZIRNO




S24 - SOLE













IZREZI i OSTAKLJAVANJE

	P2	P2 - 8 polj	P2 - 12 polj	P3	P6	P7	P8
	dimenzije izreza širina x visina (u mm)						
ŠIRINA i VISINA KRILA							
650 x 2000 mm	√	√	√	√	√	√	√
750 x 2000 mm	√	√	√	√	√	√	√
850 x 2000 mm	√	√	√	√	√	√	√
950 x 2000 mm	√	x	x	√	√	√	√
1050 x 2000 mm	x	x	x	x	x	x	x
650 x 2100 mm	√	√	√	√	√	√	√
750 x 2100 mm	√	√	√	√	√	√	√
850 x 2100 mm	√	√	√	√	√	√	√
950 x 2100 mm	√	x	x	√	√	√	√
1050 x 2100 mm	x	x	x	x	x	x	x

	P9 - 3x	P10 - 4x	P11 - 4x	P51	P53
	dimenzije izreza širina x visina (v mm)				
ŠIRINA i VISINA KRILA					
650 x 2000 mm	√	√	√	x	√
750 x 2000 mm	√	√	√	√	√
850 x 2000 mm	√	√	√	√	√
950 x 2000 mm	√	√	√	√	√
1050 x 2000 mm	x	x	x	x	x
650 x 2100 mm	√	√	√	x	√
750 x 2100 mm	√	√	√	√	√
850 x 2100 mm	√	√	√	√	√
950 x 2100 mm	√	√	√	√	√
1050 x 2100 mm	x	x	x	x	x



IZREZ BEZ STAKLA

TIP IZREZA	ŠIRINA KRILA VISINA KRILA	izrez BEZ stakla										
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm	
P2		2000 mm					2100 mm					✓
P3		2000 mm					2100 mm					✓
P6		2000 mm					2100 mm					✓
P7		2000 mm					2100 mm					✓
P8		2000 mm					2100 mm					✓
P9		2000 mm					2100 mm					✓
P10		2000 mm					2100 mm					✓
P11		2000 mm					2100 mm					✓
P51		2000 mm					2100 mm					✓
P53		2000 mm					2100 mm					✓

Predviđeni rok nabave 4-5 tjedana.

CIJENA STAKLA ZA ODREĐENI MODEL IZREZA

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P2									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S8 - SATINATO ELLA - 6 mm (samo 3 črte)		√	√	√	√	x	√	√	√	√	x
S1L - LASTOVKA		x	x	√	√	x	x	x	√	√	x
S1T - TRIGLAV		x	√	√	√	x	x	√	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x
S18 - SATINATO MARIN		√	√	√	√	x	√	√	√	√	x
S24 - MOTIV SOLE		√	√	√	√	x	√	√	√	√	x
S25 - MOTIV LUX		√	√	√	√	x	√	√	√	√	x
S26 - MOTIV SONATA		√	√	√	√	x	√	√	√	√	x


Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P3									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S1L - LASTOVKA		x	x	√	√	x	x	x	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x


Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P6									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S8 - SATINATO ELLA - 6 mm		√	√	√	√	x	√	√	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x
S18 - SATINATO MARIN		√	√	√	√	x	√	√	√	√	x
S24 - MOTIV SOLE		√	√	√	√	x	√	√	√	√	x
S25 - MOTIV LUX		√	√	√	√	x	√	√	√	√	x
S26 - MOTIV SONATA		√	√	√	√	x	√	√	√	√	x
S1L - LASTOVKA		x	x	√	√	x	x	x	√	√	x
S1T - TRIGLAV		x	√	√	√	x	x	√	√	√	x


Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P7 i P8									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S8 - SATINATO ELLA - 6 mm		√	√	√	√	x	√	√	√	√	x
S18 - SATINATO MARIN		√	√	√	√	x	√	√	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x


Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P9									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x

Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P10									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x

Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P11									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x

Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P51									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		x	√	√	√	x	x	√	√	√	x
S2 - UADI BELI - 5 mm		x	√	√	√	x	x	√	√	√	x
S3 - PROZORNO "float"		x	√	√	√	x	x	√	√	√	x
S4 - MASTER CARRE - 4 mm		x	√	√	√	x	x	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		x	√	√	√	x	x	√	√	√	x
S15 - MADRAS PAVE - 5 mm		x	√	√	√	x	x	√	√	√	x

Predviđeni rok nabave 4-5 tjedana.

STAKLO	TIP IZREZA ŠIRINA KRILA VISINA KRILA	P53									
		650 mm	750 mm	850 mm	950 mm	1050 mm	650 mm	750 mm	850 mm	950 mm	1050 mm
		2000 mm					2100 mm				
S1 - SATINATO		√	√	√	√	x	√	√	√	√	x
S2 - UADI BELI - 5 mm		√	√	√	√	x	√	√	√	√	x
S3 - PROZORNO "float"		√	√	√	√	x	√	√	√	√	x
S4 - MASTER CARRE - 4 mm		√	√	√	√	x	√	√	√	√	x
S5 - RX17, vzorec 16 - 5 mm		√	√	√	√	x	√	√	√	√	x
S15 - MADRAS PAVE - 5 mm		√	√	√	√	x	√	√	√	√	x

Predviđeni rok nabave 4-5 tjedana.

NADOPLATE

Izrez i letvice za ostakljivanje u liniji krila

+ 80 €

VAŽNO UPOZORENJE

Sva stakla su ESG kaljena.

Nadoplate za puno standardno vratno krilo.

Kod ostakljivanja potrebno dodati nadoplatu za izrez za staklo i staklo.

Dimenzije stakla su za 4 mm uže / niže od stvarnih izreza.

Kod VL ispunje u vratnom krilu preporučuje se upotreba trodijelnih spojnica.

U slučaju izreza vratnog krila P0, P1, P2, P3, P10, P11, P12 i P13 potrebno je dodati cijenu za VL ispunje te za trodijelne spojnice vrata (za dodatnu je potrebno dodati primjerenu trodijelnu spojnicu s klasifikacijom 11).

Prilikom isporuke ostakljenih krila obavezno pregledajte sve dijelove - naknadne reklamacije nisu moguće.

Kod ostakljivanja u liniji krila je potrebno dodati cijenu za VL ispunje